



# INDUSTRY NINE

Rim	Rim Part Number	ERD	Hub	Drive Side (mm)	Non-Drive (mm)	Drive side (inch)	Non Drive (inch)
ALUMINUM RIMS							
Ultralite 235 29" 24H	TR208	602	T24	300/2.9-2.7	296/2.9	11.810/.114-.106	11.675/.114

Ultralite 235 27.5" 24H	TR207	563	T24	281/2.9-2.7	277/2.9	11.065/.114-.106	10.925/.114
Ultralite 250 29" 24H	TR234	603	T24	301/2.9-2.7	297/2.9	11.840/.114-.106	11.695/.114
Ultralite 250 27.5" 24H	TR233	566	T24	282/2.9-2.7	277/2.9	11.100/.114-.106	10.925/.114
Trail 270 29" 24h	TR228	598	T24	299/2.9-2.7	295/2.9	11.770/.114-.106	11.615/.114
Trail 270 29" 32h	TR229	598	T32	297/2.9-2.7	299/2.9-2.7	11.695/.114-.106	11.770/.114-.106
Trail 270 27.5" 24h	TR226	561	T24	282/2.9-2.7	276/2.9	11.025/.114-.106	10.865/.114
Trail 270 27.5" 32h	TR227	561	T32	278/2.9-2.7	280/2.9-2.7	10.950/.114-.106	11.025/.114-.106
Enduro 305 v3 29"	TR237	603	T32	300/2.9-2.7	302/2.9-2.7	11.810/.114-.106	11.890/.114-.106
Enduro 305 v3 27.5"	TR236	565	T32	280/2.9-2.7	282/2.9-2.7	11.025/.114-.106	11.100/.114-.106
Enduro 305 v3 26"	TR235	539	T32	268/2.9-2.7	270/2.9-2.7	10.550/.114-.106	10.630/.114-.106
Enduro 305 29"	TR216	597	T32	297/2.9-2.7	299/2.9-2.7	11.695/.114-.106	11.770/.114-.106
Enduro 305 27.5"	TR215	560	T32	278/2.9-2.7	280/2.9-2.7	10.950/.114-.106	11.025/.114-.106

Enduro 305 26"	TR219	532	T32	266/2.9-2.7	268/2.9-2.7	10.475/.114-.106	10.550/.114-.106
Grade 300 29"	TR225	598	T32	297/3.0-2.8	299/3.0-2.8	11.695/.118-.110	11.770/.118-.110
Grade 300 27.5"	TR224	560	T32	278/3.0-2.8	280/3.0-2.8	10.950/.118-.110	11.025/.118-.110
Grade 300 26"	TR223	535	T32	266/3.0-2.8	268/3.0-2.8	10.475/.118-.110	10.550/.118-.110
Back Country 360 29"	TR221	597	T32	297/2.9-2.7	299/2.9-2.7	11.695/.114-.106	11.770/.114-.106
Back Country 360 27.5"	TR220	559	T32	278/2.9-2.7	280/2.9-2.7	10.950/.114-.106	11.025/.114-.106
Back Country 450 29"	TR211	597	T32	297/2.9-2.7	299/2.9-2.7	11.695/.114-.106	11.770/.114-.106
Back Country 450 27.5"	TR210	559	T32	278/2.9-2.7	280/2.9-2.7	10.950/.114-.106	11.025/.114-.106
<b>S-SERIES</b>							
Trail S - 27.5"	TR231	559	S28	285	285	N/A	N/A
Trail S - 29"	TR232	597	S28	303	303	N/A	N/A
Enduro S - 27.5"	TR213	558	S28	285	285	N/A	N/A
Enduro S - 29"	TR214	597	S28	303	303	N/A	N/A

1-1							
Trail S - 27.5"	TR231	559	1-1	277	279	N/A	N/A
Trail S - 29"	TR232	597	1-1	296	298	N/A	N/A
Enduro S - 27.5"	TR213	558	1-1	277	279	N/A	N/A
Enduro S - 29"	TR214	597	1-1	296	298	N/A	N/A
WAO CARBON							
UL 280 29" 24h	TR141	602	T24	300/2.9-2.7	296/2.9	11.810/.114-.106	11.675/.114
TR 280 29" 24h	TR142	598	T24	299/2.9-2.7	295/2.9	11.770/.114-.106	11.615/.114
TR 280 29" 32h	TR143	598	T32	297/2.9-2.7	299/2.9-2.7	11.695/.114-.106	11.770/.114-.106
EN 315 27.5" 32h	TR146	562	T32	278/2.9-2.7	280/2.9-2.7	10.950/.114-.106	11.025/.114-.106
EN 315 29" 24h	TR144	599	T24	299/2.9-2.7	295/2.9	11.770/.114-.106	11.615/.114
EN 315 29" 32h	TR145	599	T32	297/2.9-2.7	299/2.9-2.7	11.695/.114-.106	11.770/.114-.106
EN 355 27.5" 32h	TR150	561	T32	278/2.9-2.7	280/2.9-2.7	10.950/.114-.106	11.025/.114-.106

EN 355 29" 24h	TR148	599	T24	299/2.9-2.7	295/2.9	11.770/.114-.106	11.615/.114
EN 355 29" 32h	TR149	599	T32	297/2.9-2.7	299/2.9-2.7	11.695/.114-.106	11.770/.114-.106
GR 315 27.5" 32h	TR152	562	T32	278/3.0-2.8	280/3.0-2.8	10.950/.118-.110	11.025/.118-.110
GR 315 29" 32h	TR151	600	T32	278/3.0-2.8	280/3.0-2.8	11.695/.118-.110	11.770/.118-.110

## TORCH ERA

<u>Rim</u>	<u>ER D.</u>	<u>Hu b</u>	<u>Drive Side mm</u>	<u>Non-Drive mm</u>	<u>Drive side inch</u>	<u>Non Drive inch</u>
<b>1ST GEN TORCH</b>						
Ultralite 29" (32H)	599	T32	298/2.9-2.7	300/2.9-2.7	11.730/ .114-.106	11.810/ .114-.106

Ultralite 29" 24H	599	T24	300/2.9-2.7	296/2.9	11.810/ .114-.106	11.675/ .114
----------------------	-----	-----	-------------	---------	----------------------	-----------------

**\*REQUIRES  
STEEL  
SPOKE**

**WASHERS**

Ultralite 27.5" 24H	561	T24	281/2.9-2.7	277/2.9	11.065/ .114-.106	10.925/ .114	<b>*REQUIRE S STEEL SPOKE WASHERS</b>
Ultralite 26" 24H	536	T24	269/2.9-2.7	265/2.9	10.590/ .114-.106	10.440/ .114	<b>*REQUIRE S STEEL SPOKE WASHERS</b>
Trail 29" 32H	597	T32	297/2.9-2.7	299/2.9-2.7	11.695/ .114-.106	11.770/ .114-.106	
Trail 27.5" 32H	559	T32	278/2.9-2.7	280/2.9-2.7	10.950/ .114-.106	11.025/ .114-.106	
Trail 26" 32H	534	T32	266/2.9-2.7	268/2.9-2.7	10.475/ .114-.106	10.550/ .114-.106	
Trail 29" 24H	597	T24	300/2.9-2.7	296/2.9	11.810/ .114-.106	11.675/ .114	<b>*REQUIRE S STEEL SPOKE WASHERS</b>
Trail 27.5" 24H	559	T24	281/2.9-2.7	277/2.9	11.065/ .114-.106	10.925/ .114	<b>*REQUIRE S STEEL SPOKE WASHERS</b>

Trail 26" 24H	534	T24	269/2.9-2.7	265/2.9	10.590/ .114-.106	10.440/ .114	<b>*REQUIRE S STEEL SPOKE WASHERS</b>
Trail 245 29" 24H	599	T24	299/2.9-2.7	295/2.9	11.770/ .114-.106	11.615/ .114	
Trail 245 29" 32h	599	T32	297/2.9-2.7	299/2.9-2.7	11.695/ .114-.106	11.770/ .114-.106	
Trail 245 27.5" 24h	561	T24	280/2.9-2.0	276/2.9	11.025/ .114-.106	10.865/ .114	
Trail 245 27.5" 32H	561	T32	278/2.9-2.7	280/2.9-2.7	10.950/ .114-.106	11.025/ .114-.106	
Gravity 29"	594	T32	296/3.0-2.8	298/3.0-2.8	11.655/ .118-.110	11.730/ .118-.110	
Gravity 27.5"	558	T32	277/3.0-2.8	279/3.0-2.8	10.905/ .118-.110	10.985/ .118-.110	
Gravity 26"	532	T32	265/3.0-2.8	267/3.0-2.8	10.435/ .118-.110	10.510/ .118-.110	
EN 26" (Legacy)	536	T32	268/2.9-2.7	270/2.9-2.7	10.550/ .114-.106	10.630/ .114-.106	
DH 26" (Legacy)	534	T32	265/3.0-2.8	267/3.0-2.8	10.435/ .118-.110	10.510/ .118-.110	

**STAN'S**

Crest/Arc h EX 29"	604	T32	300/2.9-2.7	302/2.9-2.7	11.810/ .114-.106	11.890/ .114-.106
-----------------------	-----	-----	-------------	-------------	----------------------	----------------------

Crest/Arc h EX 27.5"	567	T32	282/2.9-2.7	284/2.9-2.7	11.100/ .114-.106	11.180/ .114-.106
----------------------------	-----	-----	-------------	-------------	----------------------	----------------------

Crest/Arc h EX 26"	540	T32	270/2.9-2.7	272/2.9-2.7	10.630/ .114-.106	10.710/ .114-.106
-----------------------	-----	-----	-------------	-------------	----------------------	----------------------

Flow EX 29"	600	T32	298/2.9-2.7	300/2.9-2.7	11.730/ .114-.106	11.810/ .114-.106
----------------	-----	-----	-------------	-------------	----------------------	----------------------

Flow EX 27.5"	563	T32	280/2.9-2.7	282/2.9-2.7	11.025/ .114-.106	11.100/ .114-.106
------------------	-----	-----	-------------	-------------	----------------------	----------------------

Flow EX 26"	536	T32	268/2.9-2.7	270/2.9-2.7	10.550/ .114-.106	10.630/ .114-.106
----------------	-----	-----	-------------	-------------	----------------------	----------------------

Hugo 26"	552	T32	274/2.9-2.7	276/2.9-2.7	10.785/ .114-.106	10.865/ .114-.106
----------	-----	-----	-------------	-------------	----------------------	----------------------

Hugo 27.5"	577	T32	286/2.9-2.7	288/2.9-2.7	11.260/ .114-.106	11.340/ .114-.106
---------------	-----	-----	-------------	-------------	----------------------	----------------------

Hugo 29"	615	T32	305/2.9-2.7	307/2.9-2.7	12.000/ .114-.106	12.085/.11 4-.106
----------	-----	-----	-------------	-------------	----------------------	----------------------

Hugo 26" Fat	552	F32	276/2.9-2.7	278/2.9-2.7	10.865/ .114-.106	10.950/ .114-.106
-----------------	-----	-----	-------------	-------------	----------------------	----------------------



Hugo					11.340/	11.415/
27.5" Fat	577	F32	288/2.9-2.7	290/2.9-2.7	.114-.106	.114-.106

Hugo 29"					12.085/	12.165/
Fat	615	F32	307/2.9-2.7	309/2.9-2.7	.114-.106	.114-.106